

BLADE SIZING CHART
SPINNER BLADES

All of our plated blades are stamped from marine grade rustproof brass.

FINISH

Blade finish works with the shape of the blade to reflect light. A smooth finish blade reflects light from only one point of the blade. Hammered blades reflect light from most of their surface.

SIZE











Plays a part in how deep the lure will run. Large blades give more lift to a lure than small blades so large blade lures will run shallower than small blade lures.

SHAPE

The shape of the spinner blade determines how fast and how far from the shaft a blade will spin. Shape also affects how easy a blade is to start.

COLOR

Blades are made in different colors to help you fit your bait to the fishing conditions. Weather, water clarity, and water temperature all play a part in what the fish hit.




Legend 1"


Please contact
Technical Customer Service for
additional information on our products
email - techhelp@jannsnetcraft.com
Phone - (419) 868-8288 fax - (419) 868-8338

COMPONENT SIZING CHART

www.jannsnecraft.com



Propeller Blades




Dumbbell Propeller Blades




Folded Clevises



Wire Clevises




Small Quick Change Clevis
Medium Quick Change Clevis
Medium with Keeper




Brass and Stainless Steel Split Rings


Legend
1"



Whiptail Blades



Painted Lure Bodies




Lure Bodies



Oval Split Rings



Ice Blades




Fluted Blades



Round Beads in millimeters (mm)



Faceted Beads in millimeters (mm)




Round Beads (inches)


Please contact
Technical Customer Service for additional
information on our products
email - techhelp@jannsnecraft.com
Phone - (419) 868-8288
fax - (419) 868-8338

COMPONENT SIZING CHART


www.jannsnetcraft.com



Three way Swivels




Crane Swivels




Roller Swivels




Safety Snaps




Duolock Snaps



Interlocking Snaps




Snap Swivels




Connecting Links

**TERMINAL TACKLE
#TEST RATINGS**

We publish the pound test rating information supplied by the manufacturer in our catalog. Some manufacturers do not provide this information. Please contact our technical customer service staff if you need assistance selecting a component.




Barrel Swivels




Fish Finders

Link




Coastlock Snap Swivels



Ball Bearing Swivels



Hook Hangers




Sinker Eyes

Please contact
Technical Customer Service for additional
information on our products
email - techhelp@jannsnetcraft.com
Phone - (419) 868-8288
fax - (419) 868-8338

Legend 1"


GUIDE & TOP SIZING CHART

Guide Sizing



Guide Sizes
Not Shown


Size	Inner Ring I.D.	Outer Ring I.D.
40	1 1/8"	1 7/16"
50	1 1/2"	1 3/4"
60	N/A	2 1/8"
70	2 1/8"	2 1/2"



The guide sizing chart shows two circles for each size. The large outer rings represent the inside of the guide frame. The smaller inside rings represent the inside of a ceramic ring. For guides made without or missing a ceramic ring, use the outer ring to match the guide. For guides with a ceramic ring, use the smaller circles to match the inside of your ceramic ring.




Large Ring Small Ring




Tip Top Replacement


To select the proper tip size for your rod, lay your rod across the chart 1/2" from the tip end of the rod. Choose the size closest or is slightly larger than your rod blank.



Snake Guide Sizing




Single Foot Snake Guide Sizing



Ferrule Sizing 64'ths of an inch

Nylon Twine Sizing Chart




Sample Sizes

Net Material Guideline

Net Type	Nylon Twine Size	Approx. Qty
Cast Nets	#3	1/8 lb.
Landing Nets	#9 or #12	1/4 lb.
Turtle Traps	#18	1/2 lb.
Hammocks	#48	2 lb.

NET MAKING SIZING CHART



Mesh Size - Square versus Stretched

Square mesh is the measure of each side of the mesh between the knots.

Stretched mesh is is when the mesh is pulled from the ends and it collaspes. Stretched mesh is equal to the square mesh times 2.

Example: 1" square mesh is equal to 2" stretched mesh.

All of our bulk netting is sold by the foot or yard measured in stretched mesh. To hang loose and full, you will need to multiply the distance you need to cover by 1.5 to have enough netting.


Example: A 10 yard space will require (10 x 1.5 = 15) about 15 stretched yards of netting.

Legend

1"


Please contact
Technical Customer Service for additional information on our products

email - techhelp@jannsnecraft.com
 Phone - (419) 868-8288 Fax - (419) 868-8338




HOOK SIZING CHART

www.jannsnecraft.com




Roundbend Treble Hooks


Live Bait Hook, Ice Jig Hook
Mustad 3260B,3282,3261




Aberdeen Jig Hooks



60° Bend Jig Hooks




Octopus Hooks




O'Shaughnessy Spinnerbait & Trailer hooks

FLY TYING HOOK SIZING CHART



Legend

1"



Central Draught Hooks



Salmon Egg Hooks




Turned Down Eye Sproat Hooks

Please contact
 Technical Customer Service for additional information
 on our products
 email - techhelp@jannsnecraft.com
 Phone - (419) 868-8288
 fax - (419) 868-8338

sizing_chart ©Jann's Netcraft LLC 2010

CHART MUST BE PRINTED FOR ACCURATE SIZING



Mustad 39940BLN, 39941BLN, 39942BLN Circle Hooks



HOOK SIZING CHART

www.jannsnetcraft.com

Please contact
Technical Customer Service for additional information
on our products
email - techhelp@jannsnetcraft.com
Phone - (419) 868-8288
fax - (419) 868-8338

Legend 1"

sizing_chart ©Jann's Netcraft LLC 2010

CHART MUST BE PRINTED FOR ACCURATE SIZING